

Page: 1
Compilation date: 16/04/2015

Revision No: 10

### Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name: TUNGSTIC OXIDE ON ZIRCONIUM OXIDE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC21: Laboratory chemicals.

### 1.3. Details of the supplier of the safety data sheet

Company name:	Elemental Microanalysis Ltd
---------------	-----------------------------

1 Hameldown Road Okehampton

Okehampton Devon

EX20 1UB

United Kingdom

Tel: 44(0)183754446

Fax: 44(0)183754544

Email: info@microanalysis.co.uk

### 1.4. Emergency telephone number

Emergency tel: +44 (0) 7990 767375 (24 hours)

### Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CLP: Acute Tox. 4: H302; STOT SE 3: H335; Eye Irrit. 2: H319; Skin Irrit. 2: H315

Most important adverse effects: Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.

### 2.2. Label elements

Label elements:	
Hazard statements:	H302: Harmful if swallowed.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H335: May cause respiratory irritation.
Hazard pictograms:	GHS07: Exclamation mark
	$\mathbf{A}$



Signal words: Warning

Page: 2

# Precautionary statements:P280: Wear protective gloves/protective clothing/eye protection/face protection.P301+312: IF SWALLOWED: Call a POISON CENTER/doctor/ if you feel unwell.P302+352: IF ON SKIN: Wash with plenty of water/.P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Removecontact lenses, if present and easy to do. Continue rinsing.P321: Specific treatment (see instructions on this label).

### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

### 3.2. Mixtures

### Hazardous ingredients:

TUNGSTEN (VI) OXIDE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
215-231-4	1314-35-8	-	STOT SE 3: H335	70-90%

### ZIRCONIUM OXIDE

215-227-2	1314-23-4	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319;	1-10%
			STOT SE 3: H335	

### Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness

or mental confusion may occur.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

# SAFETY DATA SHEET

Page: 3

### **Section 5: Fire-fighting measures**

### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not create dust. If outside keep bystanders upwind and away from danger point.

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

method.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

### Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space.

Avoid the formation or spread of dust in the air. Avoid direct contact with the substance.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

### Section 8: Exposure controls/personal protection

Page: 4

### 8.1. Control parameters

Hazardous ingredients:

### **TUNGSTEN (VI) OXIDE**

### Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	5mg/m3	10mg/m3	-	-

**Respirable dust** 

### **DNEL/PNEC** Values

DNEL / PNEC No data available.

### 8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency. Respiratory
	protective device with particle filter.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Protective clothing.

### Section 9: Physical and chemical properties

01-1-1-	0		
State:	Granules		
Colour:	Yellow		
Odour:	Odourless		
Evaporation rate:	No data available.		
Oxidising:	No data available.		
Solubility in water:	No data available.		
Viscosity:	No data available.		
Boiling point/range°C:	No data available.	Melting point/range°C:	No data available.
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point°C:	No data available.	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available.	Vapour pressure:	No data available.
Relative density:	No data available.	pH:	No data available.
VOC g/l:	No data available.		

### 9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

### 10.1. Reactivity

### Reactivity: Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

### Section 11: Toxicological information

### 11.1. Information on toxicological effects

### Hazardous ingredients:

### **TUNGSTEN (VI) OXIDE**

ORAL	MUS	LD50	1059	mg/kg
------	-----	------	------	-------

### Relevant hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

### Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness

or mental confusion may occur.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

### Section 12: Ecological information

Page: 6

### 12.1. Toxicity

Hazardous ingredients:

### **TUNGSTEN (VI) OXIDE**

ALGAE	72H IC50	1	mg/l
DAPHNIA	96H LC50	2.6	mg/l
FISH	96H LC50	5.25	mg/l

### 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: No data available.

### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

### Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

### Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

### Section 16: Other information

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.
	This safety data sheet is prepared in accordance with Commission Regulation (EC) No
	1272/2008.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H302: Harmful if swallowed.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H335: May cause respiratory irritation.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.